INDEX FOR VOLUME 29

Adams, Arthur K., Jr., Obituary of, 911
Age: white-tailed deer, relationship to strontium-90 accumulation in mandible, Maryland, 39
Age, composition: deer kill by American Indians, revealed by remains in middens, Missouri, 366
Age, determination of: black brant, by feather pattern, Alaska, 643
blue grouse, by use of plumage and body weight, Canada and north-central Washington, 103
Canada geese, field-aging by plumage, 874
channel catfish, from pectoral spine relationships, western Lake Erie, 280
desert bighorn sheep, from birth to one year, Nevada, 387
ring-necked pheasants, lens weight, South Dakota, 212
Age, ratio: Canada geese, cannon-net sample, Colorado, 253
woodcocks, as determined from wing collections, 121
Alabama: field applications of heptachlor, effects on wildlife, 554
Alaska: determining age of black brant by feather patterns, 643
fur seal management, Pribilof Islands, 448
testing immobilizing drugs on fur seals, 688
trapping, restraining, and marking Arctic ground squirrels, 671
Allen, Arthur Augustus, Obituary of, 908
Anderson, Allen E., Walter A. Snyder, and George W. Brown. Stomach content analyses related to condition in mule deer, Guadalupe Mountains, New Mexico, 352
Anderson, William L., *see* Labisky, Ronald F., 192
Antarctica: seasonal movements of Weddell seals, McMurdo Sound, 464
Antelopes: use of portable resuscitator, 511
Antlers: shed by white-tailed deer, characteristics, south Texas, 376
Arizona: determining defecation rate for elk, 406
Gambel quail, spring call count, 806
Mearns quail, seasonal food habits, 813
Arthur, George C., *see* Vaught, Richard W., 244
Ashe, James E., *see* Cowardin, Lewis M., 636

Balser, Donald S. Tranquilizer tabs for capturing wild carnivores, 438
Banding: equipment modifications for banding Canada geese, Michigan, 640
Barkalow, F. S., Jr., (review of) E. Lendell Cockrum. *Introduction to Mammalogy*, 228
(review of) E. Lendell Cockrum. *Laboratory and Field Manual for Introduction to Mammalogy*, 230
Barkalow, F. S., Jr., and Robert F. Soots, Jr. An improved gray squirrel nest box for ecological and management studies, 679
Baskett, Thomas S., *see* Goforth, W. Reid, 543
Bass, largemouth: reliability of Petersen estimates of population components, Illinois, 598
Bass, smallmouth: reliability of Petersen estimates of population components, Illinois, 598
Baumgartner, F. M., *see* Goodhue, Lyle D., 830
Bears, black: use of portable resuscitator, 511
Beavers: movement after transplanting, Wisconsin, 685
Beeman, Robert D., *see* Dalke, Paul D., 319, 333
Behavior: association to reproductive development in Canada geese, Michigan, 237
birth of a black-tailed deer, Oregon, 629
blue grouse, renesting, British Columbia, 402
chewing activity on shed antlers by deer and rodents, south Texas, 376
cooing and pairing in mourning doves, Ohio, 824
cottontail rabbits, roadside activity, Iowa, 665
effects of color marking on pairing of mourning doves, 543
fertility in a white-tailed buck fawn, New Hampshire, 634
movements of transplanted beavers, Wisconsin, 685
prairie chickens on booming grounds, reaction to intruders, Wisconsin, 536
prairie grouse on a sandhills refuge, Nebraska, 788
tub-nesting Canada geese, Missouri, 751
white-tailed deer activity as measured by a mechanical recorder, Michigan, 632
wood ducks, evening roosting habits, southeast Missouri, 399
Behrend, Donald F. Notes on field immobilization of white-tailed deer with nicotine, 889
Bennett, Carl L., Jr., *see* Van Etten, Robert C., 723
Berger, Daniel D., *see* Hamerstrom, Frances, 536
Bever, Wendell. Obituary of Ray Don Hart, 410
Bishop, Richard A., and Charles R. Hungerford. Seasonal food selection of Arizona Mearns quail, 813
Blackbirds: control and eradication, organophosphorus compounds, Tasmania, 591
Bluegill: reliability of Petersen estimates of population components, Illinois, 598
Boag, David A. Indicators of sex, age, and breeding phenology in blue grouse, 103
Boars, wild: effects of succinylcholine, Poland, 626
Bobcats: food intake and assimilation, laboratory conditions, 442
Bookhout, Theodore A. Breeding biology of snowshoe hares in Michigan's Upper Peninsula, 296
Borland, Hal. *Sundial of the Seasons* (reviewed), 651

Boyd, C. E., *see* Halls, L. K., 885
Brakhage, George K. Biology and behavior of tub-nesting Canada geese, 751
Brant, black: age determination and notes of breeding age, Alaska, 643
Breeding phenology: blue grouse, as indicated by sex and age, Canada and north-central Washington, 103
Brown, George W., *see* Anderson, Allen E., 352
Brown, William G., Ajmer Singh, and Emery N. Castle. Net economic value of the Oregon salmon-steelhead sport fishery, 266
British Columbia: renesting in blue grouse, Vancouver Island, 402
Buck, D. Homer, and Charles F. Thoits III. An evaluation of Petersen estimation procedures employing seines in 1-acre ponds, 598
Bue, Ingalf G., Obituary of, 412
Bullhead, brown: reliability of Petersen estimates of population components, Illinois, 598
Burgess, Harold H., Harold H. Prince, and David L. Trauger. Blue-winged teal nesting success as related to land use, 89
Buscher, Henry N. Dynamics of the intestinal helminth fauna in three species of ducks, 772
Buss, Irven O., (review of) Leonard Lee Rue III. *The World of the Raccoon*, 905

California: black-tailed deer, sex characteristics of hooves, 210
Campbell, Howard, and Bruce K. Harris. Mass population dispersal and long-distance movements in scaled quail, 801
Canada: banding Canada geese in western Hudson Bay, 244
blue grouse, indicators of sex, age, and breeding phenology, 103
collection of helminths of ducks, Delta, Manitoba, marshes, 772
effects of pesticides on woodcocks, New Brunswick, 172
reproduction and productivity of moose, northwestern Ontario, 740
white-tailed deer, kidney and marrow fat as indicators of condition, Manitoba, 397
Cap-Chur gun: immobilization of grey seals, Scotland, 316
immobilization of Roosevelt elk, southwestern Oregon, 339
immobilization of white-tailed deer, New York, 889
Carnivores: reducing injury and escape of trapped animals by use of tranquilizers, 438
Carson, Dorothy, (review of) Hal Borland. *Sundial of the Seasons*, 651
Caslick, J. W., *see* Pan, H. P., 890
Casteel, David A., and William R. Edwards. Surgical anesthesia for cottontails, 196
Castle, Emery N., *see* Brown, William G., 266
Catfish, channel: age and growth studies, western Lake Erie, 280
Censusing: cottontail rabbits, roadside counts, Iowa, 665
deer in Michigan, sources of error in pellet-group counts, 723
Gambel quail, spring call count, Arizona, 806
Chambers, Glenn D., *see* Korschgen, Leroy J., 820
Cheatum, E. L. Obituary of J. Victor Skiff, 232
Cockrum, E. Lendell. *Introduction to Mammalogy* (reviewed), 228
Laboratory and Field Manual for Introduction to Mammalogy (reviewed), 230
Colorado: cannon-net sampling of Canada geese, southeastern Colorado, 253
Color-marking: Arctic ground squirrels, fur dye, Alaska, 671
birds, aluminum bands, 401
mourning doves, effects on pair bonds, 543
Competition: trophic relations of a sculpin, laboratory stream conditions, 846
Couch, Andrew Bateman, Jr., Obituary of, 910
Cowardin, Lewis M., and James E. Ashe. An automatic camera device for measuring waterfowl use, 636
Craighead, John J., *see* Hornocker, Maurice G., 880
Curtis, James D., and Frank S. Elder. Blue grouse feeding on planted ponderosa pine, 199

DDT: body condition and response of woodcocks, 147
effects on New Brunswick woodcocks, 172
Dahlgren, Robert B., Curtis M. Twedt, and Carl G. Trautman. Lens weights of ring-necked pheasants, 212
Dale, Fred H. Obituary of Frank Morgan Johnson, 232
(Review of) L. Jack Lyon. *Administration of Natural Resources Research*, 231
Dalke, Paul D., Robert D. Beeman, Frederic J. Kindel, Robert J. Robel, and Thomas R. Williams. Seasonal movements of elk in the Selway River drainage, Idaho, 333
Use of salt by elk in Idaho, 319
Dana, Samuel Trask, and Evert W. Johnson. *Forestry Education in America: Today and Tomorrow* (reviewed), 903
Dasmann, Raymond F. *The Last Horizon* (reviewed), 650
Dauphin, K. P., *see* Storm, G. L., 625
Davey, Stuart P., *see* Roppel, Anton Y., 448
Davis, Gerald E., and Charles E. Warren. Trophic relations of a sculpin in laboratory stream conditions, 846
Day, Gerald I., Richard F. Dyson, and Fred H. Landeen. A portable resuscitator for use on large game animals, 511
Dean, Frederick C., and Guy A. Gallaway. A FORTRAN program for population study with minimal computer training, 892
Decker, D. G., *see* Pan, H. P., 890

Deer: fence construction and costs, Texas, 885
Deer, black-tailed: behavior associated with parturition, Oregon, 629
sex characteristics of hooves, California and western Oregon, 210
Deer, mule: seasonal distribution, south-central Oregon, 345
stomach content analysis, Guadalupe Mountains, New Mexico, 352
use of portable resuscitator, 511
winter habitat, montane forest, western Montana, 27
Deer, white-tailed: antlered female deer, a Pennsylvania study, 699
characteristics of shed antlers, south Texas, 376
comparing strontium-90 levels in antlers and mandibles, Maryland, 33
controlled hunting in a square-mile enclosure, northern Michigan, 59
corpora lutea variation, Iowa, 487
die-off, Central Mineral Region of Texas, 706
estimating populations from automatically collected data, 381
estimating time of death, Maine, 471
fertility in buck fawn, New Hampshire, 634
field immobilization, New York, 889
fruit utilization, east Texas, 370
kidney and marrow fat as indicators of condition, Canada, 397
mechanical recorder to measure activity, Michigan, 632
milk and blood composition, Michigan, 79
movements, Welder Wildlife Refuge, Texas, 44
remains in Indian middens, Missouri, 366
reproduction studies in captive does, Michigan, 74
reproductive cycle in male, central Texas, 53
rumen organisms, south Texas, 493
sources of error in pellet-group counts, Michigan, 723
strontium-90 accumulation as related to sex and age, Maryland, 39
unusual sex ratio, within an enclosure, Georgia, 884
variation in blood proteins, Iowa-Nebraska border, 717
Della-Bianca, Lino, and Frank M. Johnson. Effect of an intensive cleaning on deer-browse production in the southern Appalachians, 729
deRoth, Gerardus C. Age and growth studies of channel catfish in western Lake Erie, 280
Detmer, Jack, *see* French, Norman R., 14
DeWitt, James B., *see* Stickel, William H., 147
Dieldrin: body condition and response of woodcocks, 147
Diseases and parasites: filarioid worms in raccoons, Maryland, 694
intestinal helminths in ducks, 772
ovarian tumors in hares, New Zealand, 622
white-tailed deer, rumen organisms, Texas, 493
woodcocks, 156
Distribution: seasonal movements of mule deer herd, south-central Oregon, 345
Dodds, Donald G. Obituary of Clarence A. Mason, 910
Reproduction and productivity of snowshoe hares in Newfoundland, 303
Dodge, Wendell E., *see* Stickel, William H., 147
Donaldson, John C., and J. Kenneth Doutt. Antlers in female white-tailed deer: a 4-year study, 699
Doudoroff, Peter, (review of) H. B. N. Hynes. *The Biology of Polluted Waters*, 225
Doutt, J. Kenneth, *see* Donaldson, John C., 699
Dove, mourning: cooing and pairing, Ohio, 824
effects of color marking on pair bonds, 543
Downing, Robert L. An unusual sex ratio in white-tailed deer, 884
Drugs: capturing Columbids with stupefying baits, England, 647
control of nuisance and depredatory birds, chemically treated bait, 830
immobilization of fur seals, testing four drugs, Alaska, 688
immobilization of grey seals, Scotland, 316
immobilization of mountain lions, Montana, 880
immobilization of Roosevelt elk, Oregon, 339
immobilization of white-tailed deer, New York, 889
immobilization of wild boars, Poland, 626
reducing injury and escape of trapped animals with tranquilizers, 438
Ducks, wood: evening roosting habits, southeast Missouri, 339
Dyson, Richard F., *see* Day, Gerald I., 511

East Africa: technique for predicting liveweight, wild ungulates and boran cattle, 504
weight estimates of mammals from body measurements, 84
Eberhardt, Lee, *see* Van Etten, Robert C., 59
Economic value: salmon–steelhead sport fishery, Oregon, 266
Ecosystems, laboratory: trophic relations of a sculpin, Oregon, 846
Edwards, William R., *see* Casteel, David A., 196
Ehrenreich, John H., *see* Murphy, Dean A., 497, 734
Elder, Frank S., *see* Curtis, James D., 199
Elder, William H. Primeval deer hunting pressures revealed by remains from American Indian middens, 367
Elk: defecation rate, Arizona, 406
immobilization with Cap-Chur gun, southwestern Oregon, 339
seasonal movements, Selway River drainage, Idaho, 333
use of salt, Selway River drainage, Idaho, 319
Ellis, John W., and John R. Frye. Utilization of sugar beets by Canada geese, 396

Endangered species: fur seals, evolution of management, Pribilof Islands, Alaska, 448
England: capturing Columbids with stupefying baits, 647
food reserves of mallard ducklings, 523
Evenden, Fred G. Obituary of Clifton M. Greenhalgh, 233

Finley, Robert B. Adverse effects on birds of Phosphamidon applied to a Montana forest, 580
Flux, John E. C. Incidence of ovarian tumors in hares in New Zealand, 622
Flyger, Vagn, *see* Schultz, Vincent, 39
Food habits: blue grouse feeding on ponderosa pine seedlings, Idaho, 199
bobwhites, availability of sunflower and ragweed seeds during fall and winter, Kansas, 202
Canada geese, utilizing sugar beets, Michigan, 396
Mearns quail, southeastern Arizona, 813
mule deer, stomach content analysis, New Mexico, 352
prairie grouse on a sandhills refuge, Nebraska, 788
white-tailed deer, fruit utilization, east Texas, 370
Food production: effects of cleaning on deer-browse, southern Appalachians, 729
effects of salt on sago pondweed, Utah, 838
estimating seeds available to bobwhites, Georgia, 117
production of forage following forestry practices, southern Missouri, 734
relative abundance of fruit-producing trees and shrubs, Ozark forests, Missouri, 497
Foxes, red: radio-tracking, Illinois, 1
wire ferret for use in studying, Illinois, 645
French, Norman R., Ray McBride, and Jack Detmer. Fertility and population density of the black-tailed jackrabbit, 14
Frye, John R., *see* Ellis, John W., 396
Funk, Howard D., and Jack R. Grieb. Baited cannon-net sampling as an indicator of Canada goose population characteristics, 253

Gadwalls: crab predation of a duckling, North Carolina, 645
intestinal helminth fauna, 772
Gallaway, Guy A., *see* Dean, Frederick C., 892
Gallizioli, Steve, *see* Smith, Ronald H., 806
Gates, John M. Duck nesting and production on Wisconsin farmlands, 515
Gazelle, Grant's: estimating liveweight from body measurements, East Africa, 84
Gazelle, Thomson's: estimating liveweight from body measurements, East Africa, 84
predicting liveweight from dissected leg weight, East Africa, 504
Geese, Canada: associations of behavior to reproductive development, Michigan, 237
field-aging by plumage, 874
lead poisoning as a mortality factor, Wisconsin, 95
migration and mortality, banded in Hudson Bay, 244
modifications in banding equipment, Michigan, 640
population characteristics as indicated by baited cannon-net sample, southeastern Colorado, 253
tub-nesting behavior, Missouri, 751
utilization of sugar beets, Michigan, 396
Geis, Aelred D., *see* Martin, Fant W., 121
See also Wight, Howard M., 185
Geis, Shirley A., *see* Locke, Louis N., 156
Georgia: field applications of heptachlor, effects on wildlife, 554
seeds available to bobwhites, 117
unusual sex ratio in white-tailed deer, 884
Gill, John D., and David C. O'Meara. Estimating time of death in white-tailed deer, 471
Glass, Bentley (Editor). *Survey of Biological Progress, Volume IV* (reviewed), 227
Goforth, W. Reid, and Thomas S. Baskett. Effects of experimental color marking on pairing of captive mourning doves, 543
Golley, Frank B., George A. Petrides, Ernest L. Rauber, and James H. Jenkins. Food intake and assimilation by bobcats under laboratory conditions, 442
Goodhue, Lyle D., and F. M. Baumgartner. Applications of new bird control chemicals, 830
Goodrum, P. D., *see* Halls, L. K., 885
Gophers, pocket: evaluation of control, Wasatch Mountains, Utah, 413
Greenhalgh, Clifton M., Obituary of, 233
Greer, J. Keever. A cage for small intractable animals, 895
Grieb, Jack R., *see* Funk, Howard D., 253
Grison: specially designed cage to facilitate laboratory measurements, 895
Ground squirrels, Arctic: trapping, restraining, and marking, northwestern Alaska, 671
Grouse, blue: as affected by Phosphamidon applied to a Montana forest, 580
care and feeding in captivity, 404
feeding on ponderosa pine seedlings, Idaho, 199
indicators of sex, age, and breeding phenology, 103
renesting, British Columbia, 402
Grouse, prairie: on a sandhills refuge, Nebraska, 788
Grouse, ruffed: improved methods for trapping and marking, Minnesota, 109
Growth: channel catfish, as determined from pectoral spine relationships, western Lake Erie, 280
desert bighorn sheep, Nevada, 387
Gullion, Gordon W. Another comment on the color-banding of birds, 401

Improvements in methods for trapping and marking ruffed grouse, 109
Gysel, Leslie W., *see* Ozoga, John J., 632

Habitat: blue-winged teal nesting success as related to land use, 89
changes in vegetation and waterfowl usage, Montana water area, 782
mule deer, winter range, western Montana, 27
multiflora rose hedges, effects on corn yields in adjacent fields, 192
prairie grouse on a sandhills refuge, Nebraska, 788
relative abundance of fruit-producing trees and shrubs, Ozark forests, Missouri, 497
Hale, James B., *see* Knudsen, George J., 685
Halls, L. K., C. E. Boyd, D. W. Lay, and P. D. Goodrum. Deer fence construction and costs, 885
Hamerstrom, Frances, Daniel D. Berger, and F. N. Hamerstrom, Jr. The effect of mammals on prairie chickens on booming grounds, 536
Hamerstrom, F. N., Jr., *see* Hamerstrom, Frances, 536
Hansen, Charles G. Growth and development of desert bighorn sheep, 387
Hares, European: Incidence of ovarian tumors, New Zealand, 622
Hares, snowshoe: breeding biology, Upper Peninsula of Michigan, 296
collar for radio transmitter, 898
development of a live snare and a tagging snare, 877
reproduction and productivity, Newfoundland, 303
Harke, D. T., *see* Pan, H. P., 890
Harper, James A. Immobilization of Roosevelt elk by succinylcholine chloride, 339
Harris, Bruce K., *see* Campbell, Howard, 801
Harris, Stanley W., and Peter E. K. Shepherd. Age determination and notes on the breeding age of black brant, 643
See also Yocum, Charles F., 874
Hart, Ray Don, Obituary of, 410
Hartebeest, Coke's: estimating liveweight from body measurements, East Africa, 84
Hartowicz, Edgar. Evening roosting habits of wood ducks in southeast Missouri, 399
Hartung, Rolf. Some effects of oiling on reproduction of ducks, 872
Haugen, Arnold O., *see* Miller, Wilmer J., 717
See also Trauger, David L., 487
Hayne, Don W., *see* Stickel, William H., 132
Heath, Robert G., *see* Wight, Howard M., 185
Heiman, Erven, *see* Miller, Donald Ray, 896
Henry, LeRoy K. Obituary of Otto Emery Jennings, 909
Heptachlor: body condition and response of woodcocks, 147
effects of contaminated earthworms on woodcocks, Louisiana, 132
effects of field applications on wildlife, Georgia and Alabama, 554
effects on New Brunswick woodcocks, 172
Herman, Carlton M., and Donald L. Price. Epizootiologic studies on filarioids of the raccoon, 694
Hewitt, George S. Obituary of Arthur K. Adams, Jr., 911
Hewitt, Oliver H. Obituary of Arthur Augustus Allen, 908
Hippopotamus: predicting liveweight from dissected leg weight, East Africa, 504
Holmes, Ann C. V., and Glen C. Sanderson. Populations and movements of opossums in east-central Illinois, 287
Hornocker, Maurice G., John J. Craighead, and E. W. Pfeiffer. Immobilizing mountain lions with succinylcholine chloride and pentobarbital sodium, 880
Hungerford, Charles R., *see* Bishop, Richard A., 813
Hunt, Richard A., *see* Trainer, Daniel O., 95
Hunting: controlled, white-tailed deer, square-mile enclosure, northern Michigan, 59
pressures on deer by Indians as revealed by remains in middens, Missouri, 366
Hyder, Albert E., Obituary of, 911
Hyena, spotted: estimating liveweight from body measurements, East Africa, 84
Hynes, H. B. N. *The Biology of Polluted Waters* (reviewed), 225

Idaho: blue grouse feeding on planted ponderosa pine, 199
fertility and population density, black-tailed jackrabbit, southeastern Idaho, 14
seasonal movements of elk, Selway River drainage, 333
use of salt by elk, Selway River drainage, 319
Illinois: evaluation of Petersen estimates of fish populations, 598
migration of Canada geese from western Hudson Bay to southern Illinois, 245
populations and movements of opossums, east-central Illinois, 287
radio-tracking red foxes, 1
wire ferret for use in studies of foxes and skunks, 625
Immobilization: fur seals, Alaska, 688
grey seals with Cap-Chur gun and succinylcholine derivatives, Scotland, 316
mountain lions, Montana, 880
Roosevelt elk, by use of Cap-Chur gun and succinylcholine chloride, southwestern Oregon, 339
white-tailed deer, Cap-Chur gun and nicotine, New York, 889
wild boars, Poland, 626
Impala: estimating liveweight from body measurements, East Africa, 84

Indians, American: management of primeval deer as revealed by remains in middens, Missouri, 366
Iowa: blue-winged teal, nesting success as related to land use, 89
cottontail rabbits, factors influencing roadside counts, 665
white-tailed deer, corpora lutea variation, 487
Isaacson, A. J., *see* Murton, R. K., 647
Iwen, Frank A., *see* Melchior, Herbert R., 671

Jackrabbits, black-tailed: fertility and population, southeastern Idaho, 14
Jenkins, James H., *see* Golley, Frank B., 442
Jennings, Otto Emery, Obituary of, 909
Jewell, P. A., and E. A. Smith. Immobilization of grey seals, 316
Johnson, Frank Morgan, Obituary of, 232
See Della-Bianca, Lino, 729
Johnston, G. C. Pilot trials of two organophosphorus compounds in vertebrate pest controls, 591
Joselyn, G. Blair. Wildlife management on military installations—A critique of Army policy, 215

Kansas: bobwhite diet, availability of sunflower and ragweed seeds during fall and winter, 202
collection of helminths of ducks, Cheyenne Bottoms Waterfowl Management Area, 772
differential winter mortality of bobwhites, northeastern Kansas, 261
Kear, Janet. The internal food reserves of hatching mallard ducklings, 523
Keith, Lloyd B. A live snare and a tagging snare for rabbits, 877
Kindel, Frederic J., *see* Dalke, Paul D., 319, 333
Klebenow, Donald A. A montane forest winter deer habitat in western Montana, 27
Klett, Evan V. A portable observation tower, 206
Kline, Paul D. Factors influencing roadside counts of cottontails, 665
Knight, Richard R. Vegetative characteristics and waterfowl usage of a Montana water area, 782
Knudsen, George J., and James B. Hale. Movements of transplanted beavers in Wisconsin, 685
Kob, Uganda: estimating liveweight from body measurements, East Africa, 84
predicting liveweight from dissected leg weight, East Africa, 504
Kobriger, Gerald D. Status, movements, habitats, and foods of prairie grouse on a sandhills refuge, 788
Korschgen, Leroy J., Glenn D. Chambers, and Kenneth C. Sadler. Digestion rate of limestone force-fed to pheasants, 820
Kudu, lesser: predicting liveweight from dissected leg weight, East Africa, 504
Kuechle, Valerian B., *see* Mech, L. David, 898

Labisky, Ronald F., and William L. Anderson. Effects of multiflora rose hedges on corn yields in adjacent fields, 192
Lacher, Dorothy D., *see* Lacher, John R., 404
Lacher, John R., and Dorothy D. Lacher. Blue grouse in captivity, 404
Lance, Art N., *see* Zwickel, Fred C., 402
Landeen, Fred H., *see* Day, Gerald I., 511
Lay, Daniel W. Fruit utilization by deer in southern forests, 370
See also Halls, L. K., 885
Ledger, Horace P., see Smith, Norman S., 208, 504
Locke, Louis N., William H. Stickel, and Shirley A. Geis. Some diseases and parasites of captive woodcocks, 156
Long, Jay B., (review of) Raymond F. Dasmann. *The Last Horizon*, 650
Louisiana: woodcocks, effects of heptachlor-contaminated earthworms, 132
Lyon, L. Jack. *Administration of Natural Resources Research* (reviewed), 231

McBride, Ray, *see* French, Norman R., 14
McCabe, Robert A., (review of) Stewart L. Udall. *The Quiet Crisis*, 226
McCulloch, J. S. G., *see* Talbot, Lee M., 84
McCullough, Dale R. Sex characteristics of black-tailed deer hooves, 210
McGraw, Max, Obituary of, 411
Mackey, James P. Cooing frequency and permanence of pairing of mourning doves, 824
Maguire, Clifford, *see* Miller, Donald Ray, 896
Maine: white-tailed deer, estimating time of death, 471
Mallards: internal food reserves of hatching ducklings, England, 523
lead poisoning as a mortality factor, Wisconsin, 95
nesting and production studies, east-central Wisconsin farmlands, 515
rate of food passage, possibility of plankton dispersal, 529
Malone, Charles R. Dispersal of plankton: rate of food passage in mallard ducks, 529
Management: blue-winged teal, relationship of nesting success to refuge land-use practices, Iowa, 89
bobwhites, availability of sunflower and ragweed seeds during fall and winter, Kansas, 202
conservation practices of American Indians, revealed by deer remains in middens, Missouri, 366
control of nuisance and depredatory birds, chemically treated bait, 830

deer fence construction, Texas, 885
effect of cleaning on deer-browse production, southern Appalachians, 729
effects of timber harvest and stand improvement on forage production, southern Missouri, 734
fur seals, Pribilof Islands, Alaska, 448
multiflora rose hedges, effects on corn yields in adjacent fields, 192
of wildlife on military installations, 215
pocket gopher control, Wasatch Mountains, Utah, 413
rodent population controls, southern New Mexico, 425
use of salt by elk, Selway River drainage, Idaho, 319
use of stock-water dugouts by ducks, South Dakota and Minnesota, 200
vertebrate pest control, organophosphorus compounds, Tasmania, 591
Manitoba: redhead ducklings, primary feather growth, 533
Marburger, Rodney G., and Jack Ward Thomas. A die-off in white-tailed deer of the Central Mineral Region of Texas, 706
See also Robinson, R. M., 53
Marking: Arctic ground squirrels, toe amputation numbering system, Alaska, 671
ruffed grouse, improved methods, Minnesota, 109
Martin, Fant W., Aelred D. Geis, and William H. Stickel. Results of woodcock wing collections, 1959 to 1962, 121
Maryland: comparing strontium-90 levels in antlers and mandibles of white-tailed deer, 33
filarioid worms in raccoons, 694
strontium-90 accumulation in deer mandibles as related to sex and age, 39
Mason, Clarence A., Obituary of, 910
Mech, L. David, Valerian B. Kuechle, Dwain W. Warner, and John R. Tester. A collar for attaching radio transmitters to rabbits, hares, and raccoons, 898
Melchior, Herbert R., and Frank A. Iwen. Trapping, restraining, and marking Arctic ground squirrels for behavioral observations, 671
Michael, Edwin D. Characteristics of shed antlers from white-tailed deer in south Texas, 376
Movements of white-tailed deer on the Welder Wildlife Refuge, 44
Michigan: Canada geese, associations of behavior to reproductive development, 237
Canada geese utilizing sugar beets, 396
composition of milk and blood, white-tailed deer, 79
controlled deer hunting, square-mile enclosure, northern Michigan, 59
recent modifications in banding equipment for Canada geese, 640
reproduction in penned white-tailed deer, 74
snowshoe hares, reproduction study, Upper Peninsula, 296
sources of error in pellet-group counts for censusing deer, 723
white-tailed deer, a mechanical device for measuring activity, 632
Migration: Canada geese, from western Hudson Bay to Missouri and Illinois, 245
mule deer herd, seasonal movements in south-central Oregon, 345
Weddell seals, seasonal movements, McMurdo Sound, Antarctica, 464
Miller, Donald Ray, Clifford Maguire, and Erven Heiman. An economical, portable intercommunication system for aerial surveys and reconnaissance, 896
Miller, Frank L. Behavior associated with parturition in black-tailed deer, 629
Miller, Howard A., (review of) Samuel Trask Dana and Evert W. Johnson. *Forestry Education in America: Today and Tomorrow*, 903
Miller, Wilmer J., Arnold O. Haugen, and David J. Roslien. Natural variation in the blood proteins of white-tailed deer, 717
Milne, Robert C. Crab predation on a duckling, 645
Minerals: abundance as related to chewed antlers shed by deer, south Texas, 376
Minnesota: duck use of dugouts, 200
ruffed grouse, improved methods for trapping and marking, 109
Missouri: deer remains in Indian middens, 366
effects of forestry practices on forage production, southern Missouri, 734
fruit-producing trees and shrubs, Ozark forests, 497
limestone digestion in pheasants, 820
migration of Canada geese from western Hudson Bay to north-central Missouri, 245
tub-nesting Canada geese, 751
wood ducks, evening roosting habits, southeast Missouri, 399
Montana: effects of Phosphamidon on birds, 580
immobilizing mountain lions, 880
vegetative characteristics and waterfowl usage of a water area, 782
winter habitat for mule deer, western Montana, 27
Moose: reproduction and productivity, northwestern Ontario, 740
Morrison, D. C., *see* Neff, D. J., 406
Mortality: lead poisoning in waterfowl, Wisconsin, 95
population dynamics of bobwhites in winter, northeastern Kansas, 261
white-tailed deer die-off, Texas, 706
woodcocks, response to pesticides, 147
Mortality, hunting: Canada geese banded in western Hudson Bay, hunting returns from Missouri and Illinois, 245

Mountain lions: immobilization, Montana, 880
Movements: beavers, after transplanting, Wisconsin, 685
opossums, east-central Illinois, 287
prairie grouse on a sandhills refuge, Nebraska, 788
red foxes, radio-tracking, Illinois, 1
scaled quail, southeastern New Mexico and western Texas, 801
seasonal changes in abundance, Weddell seal, McMurdo Sound, Antarctica, 464
seasonal, elk in Selway River drainage, Idaho, 333
white-tailed deer, a mechanical recorder for measuring activity, 632
white-tailed deer, Welder Wildlife Refuge, Texas, 44
Mowat, Farley. *Never Cry Wolf* (reviewed), 906
Murphy, Dean A., and John H. Ehrenreich. Effects of timber harvest and stand improvement on forage production, 734
Fruit-producing trees and shrubs in Missouri's Ozark forests, 497
Murton, R. K., A. J. Isaacson, and N. J. Westwood. Capturing Columbids at the nest with stupefying baits, 647

Nebraska: prairie grouse on a sandhills refuge, 788
Needham, Paul R., Obituary of, 408
Neff, D. J., O. C. Wallmo, and D. C. Morrison. A determination of defecation rate for elk, 406
Nesting: as affected by color marking paired mourning doves, 543
Nevada: desert bighorn sheep, growth and development, 387
Newfoundland: snowshoe hares, reproduction and productivity, 303
New Hampshire: fertility in white-tailed buck fawn, 634
New Mexico: control of rodent populations, southern New Mexico, 425
mule deer, stomach content analysis, Guadalupe Mountains, 352
scaled quail movements, southeastern New Mexico, 801
New York: automatic camera device to measure waterfowl use of habitat, 636
immobilization of white-tailed deer, 889
New Zealand: incidence of ovarian tumors in hares, 622
North Carolina: crab predation on a gadwall duckling, 645
effect of cleaning on deer-browse production, 729
improved nest box for gray squirrels, 679
Nutrition: white-tailed does, relationship of diet during pregnancy to milk and blood composition post partum, Michigan, 79
white-tailed deer, relationship of diet to reproduction, Michigan, 74

Obituaries: Adams, Arthur K., Jr., 911
Allen, Arthur Augustus, 908
Bue, Ingalf G., 412
Couch, Andrew Bateman, Jr., 910
Greenhalgh, Clifton M., 233
Hart, Ray Don, 410
Hyder, Albert E., 911
Jennings, Otto Emery, 909
Johnson, Frank Morgan, 232
McGraw, Max, 411
Mason, Clarence A., 910
Needham, Paul R., 408
Skiff, J. Victor, 232
Ohio: age and growth of channel catfish, western Lake Erie, 280
cooing and pairing in mourning doves, 824
O'Meara, David C., *see* Gill, John D., 471
Opossums: populations and movements, east-central Illinois, 287
Oregon: birth of a black-tailed deer, 629
black-tailed deer, sex characteristics of hooves, western Oregon, 210
immobilization of Roosevelt elk, southwestern Oregon, 339
mule deer herd, seasonal movements, south-central Oregon, 345
net economic value of salmon–steelhead sport fishery, 266
trophic relations of a sculpin, laboratory stream conditions, 846
Oryx, Beisa: estimating liveweight from body measurements, East Africa, 84
predicting liveweight from dissected leg weight, East Africa, 504
Overton, W. Scott. A modification of the Schnabel Estimator to account for removal of animals from the population, 392
Ozoga, John J., and Leslie W. Gysel. A mechanical recorder for measuring deer activity, 632

Pan, H. P., J. W. Caslick, D. T. Harke, and D. G. Decker. A simple animal support for convenient weighing, 890
Pearson, Henry A. Rumen organisms in white-tailed deer from south Texas, 493
Peccaries, collared: use of portable resuscitator, 511
Pennsylvania: antlered female deer, a 4-year study, 699
Perch, yellow: reliability of Petersen estimates of population components, Illinois, 598
Perkins, Carroll J., *see* Ripley, Thomas H., 117
Pesticides: controlling rodent populations, southern New Mexico, 425
effects on woodcocks, New Brunswick, 172
field applications of heptachlor, effects on wildlife, Alabama and Georgia, 554

heptachlor, its effects on woodcocks through contaminated earthworm diet, Louisiana, 132
nuisance and depredatory birds, control with chemically treated bait, 830
organophosphorus compounds, vertebrate pest controls, Tasmania, 591
Phosphamidon applied to a Montana forest, its effects on birds, 580
pocket gopher control, Wasatch Mountains, Utah, 413
response of woodcocks as related to body condition, 147
Peterson, Richard S. Drugs for handling fur seals, 688
Petrides, George A., *see* Golley, Frank B., 442
Pfeiffer, E. W., *see* Hornocker, Maurice G., 880
Pheasants, ring-necked: lens technique for aging, South Dakota, 212
limestone digestion, Missouri, 820
Pigeons, wood: capturing at the nest with stupefying baits, England, 647
Pintails: intestinal helminth fauna, 772
Plumage: characteristics to field-age young Canada geese, 874
primary feathers in redhead ducklings, development and maturation, Manitoba, 533
sex and age determination in blue grouse, Canada and north-central Washington, 103
Poland: effects of succinylcholine on wild boars, 626
Policy: wildlife management on military installations, 215
Poole, Daniel A. Obituary of Max McGraw, 411
Population: black-tailed jackrabbit, southeastern Idaho, 14
breeding and nesting ducks, east-central Wisconsin farmlands, 515
Canada geese sex and age ratios as indicated by baited cannon-net sampling, southeastern Colorado, 253
estimating deer density from automatically collected data, Texas, 381
FORTRAN program for population studies, 892
known removal of animals, modification of Schnabel Estimator to account for, 392
opossums, east-central Illinois, 287
Petersen estimates of size or age components of fish populations, Illinois, 598
snowshoe hares, Newfoundland, 303
white-tailed deer die-off, Texas, 706
Populations, bird: utilizing survival and production data to estimate fall adult sex ratios, 185
Population dynamics: bobwhites, winter mortality, northeastern Kansas, 261
Poulton, Charles E., (review of). *Proceedings, Third Annual Tall Timbers Fire Ecology Conference*, 904
Prairie chickens: as affected by mammals on booming grounds, Wisconsin, 536
Predation: crab predation on a gadwall duckling, North Carolina, 645
on prairie chicken booming grounds, Wisconsin, 536
Price, Donald L., *see* Herman, Carlton M., 694
Prince, Harold H., *see* Burgess, Harold H., 89

Quail, bobwhite: availability of sunflower and ragweed seeds, Kansas, 202
differential winter mortality, Kansas, 261
effects of heptachlor, Alabama and Georgia, 554
estimating ground supplies of available seed, Georgia, 117
Quail, Gambel: spring call count, Arizona, 806
Quail, Mearns: seasonal food habits, southeastern Arizona, 813
Quail, scaled: movements, southeastern New Mexico and western Texas, 801

Rabbits, cottontail: choke snare modified to develop live snare, 877
collar for radio transmitter, 898
factors influencing roadside counts, Iowa, 665
surgical anesthesia, 196
Rabbits, old world: control and eradication, organophosphorus compounds, Tasmania, 591
Raccoons: collar for radio transmitter, 898
presence of filarioid worms, Maryland, 694
Radio-tracking: collar for attaching transmitters to rabbits, hares, and raccoons, 898
red foxes, Illinois, 1
Ranson, A. Brian. Kidney and marrow fat as indicators of white-tailed deer condition, 397
Rauber, Ernest L., *see* Golley, Frank B., 442
Redheads: development and maturation of primary feathers in ducklings, Manitoba, 533
Reproduction: behavior associated with parturition in black-tailed deer, Oregon, 629
black-tailed jackrabbits, southeastern Idaho, 14
blue-winged teal, nesting success as related to land use, Iowa, 89
Canada geese, associated behavior, Michigan, 237
cycle in male white-tailed deer, central Texas, 53
effect of oil on duck reproduction, 872
fertility in white-tailed buck fawn, New Hampshire, 634
mallards and blue-winged teals, east-central Wisconsin farmlands, 515
moose, northwestern Ontario, 740
penned white-tailed deer, Michigan, 74
snowshoe hares, Newfoundland, 303
snowshoe hares, Upper Peninsula of Michigan, 296
tub-nesting Canada geese, Missouri, 751
unusual sex ratio in white-tailed deer, enclosure in Georgia, 884

white-tailed deer, corpora lutea variation, Iowa, 487
woodcocks, as determined from wing collections, 121
woodcocks, effects of pesticides, New Brunswick, 172
Richens, V. B. An evaluation of control on the Wasatch pocket gopher, 413
Riney, T., (review of) P. D. Stracey. *Elephant Gold*, 650
Ripley, Thomas H., and Carroll J. Perkins. Estimating ground supplies of seed available to bobwhites, 117
Robel, Robert J. Differential winter mortality of bobwhites in Kansas, 261
See also Dalke, Paul D., 319, 333
Robel, Robert J., and Norman A. Slade. The availability of sunflower and ragweed seeds during fall and winter, 202
Robinson, D. J. Obituary of Andrew Bateman Couch, Jr., 910
Robinson, R. M., J. W. Thomas, and R. G. Marburger. The reproductive cycle of male white-tailed deer in central Texas, 53
Rodents: control of populations, southern New Mexico, 425
Roppel, Anton Y., and Stuart P. Davey. Evolution of fur seal management on the Pribilof Islands, 448
Rosene, Walter, Jr. Effects of field applications of heptachlor on bobwhite quail and other wild animals, 554
Roslien, David J., *see* Miller, Wilmer J., 717
Rue, Leonard Lee, III. *The World of the Raccoon* (reviewed), 905

Sadler, Kenneth C., *see* Korschgen, Leroy J., 820
Sakowicz, M., *see* Zurowski, W., 626
Salmon, chinook: net economic value of sport fishery, Oregon, 266
Salmon, silver: net economic value of sport fishery, Oregon, 266
Sanderson, Glen C., *see* Holmes, Ann C. V., 287
Schultz, Vincent. Comparison of strontium-90 levels between antler and mandible of white-tailed deer, 33
Schultz, Vincent, and Vagn Flyger. Relationship of sex and age to strontium-90 accumulation in white-tailed deer mandibles, 39
Scotland: grey seals, immobilization, 316
Sculpin: trophic relations, laboratory stream conditions, Oregon, 846
Seals, fur: immobilizing drugs, Alaska, 688
management, Pribilof Islands, Alaska, 448
Seals, grey: immobilization, Scotland, 316
Seals, Weddell: seasonal movements, McMurdo Sound, Antarctica, 464
Sex: white-tailed deer, relationship to strontium-90 accumulation in mandible, Maryland, 39
Sex, determination of: black-tailed deer, characteristics of hooves, California and western Oregon, 210
blue grouse, by use of plumage and body weight, Canada and north-central Washington, 103
desert bighorn sheep, field characteristics of lambs, Nevada, 387
Sex, ratio: Canada geese, cannon-net sample, southeastern Colorado, 253
estimating composition of fall adult bird populations by utilizing production and survival data, 185
unusual in white-tailed deer, Georgia enclosure, 884
woodcocks, as determined from wing collections, 121
Shearer, Leroy A., and Hans G. Uhlig. The use of stock-water dugouts by ducks, 200
Sheep, desert bighorn: growth and development, Nevada, 387
Sheldon, William G., *see* Stickel, William H., 147, 161
Shepherd, Peter E. K., *see* Harris, Stanley W., 643
Sherwood, Glen A. Recent modifications in banding equipment for Canada geese, 640
Shovelers: intestinal helminth fauna, 772
Simkin, D. W. Reproduction and productivity of moose in northwestern Ontario, 740
Silver, Helenette. An instance of fertility in a white-tailed buck fawn, 634
Singh, Ajmer, *see* Brown, William G., 266
Sittler, O. Dayle. Theoretical basis for estimating deer population from automatically collected data, 381
Skiff, J. Victor, Obituary of, 232
Skunks, striped: wire ferret for use in studying, Illinois, 625
Slade, Norman A., *see* Robel, Robert J., 202
Smart, Glen. Development and maturation of primary feathers in redhead ducklings, 533
Smith, E. A., *see* Jewell, P. A., 316
Smith, M. S. R. Seasonal movements of the Weddell seal in McMurdo Sound, Antarctica, 464
Smith, Norman S., and Horace P. Ledger. A method of predicting liveweight from dissected leg weight, 504
A portable tripod and weighing assembly for large animals, 208
Smith, Ronald H., and Steve Gallizioli. Predicting hunter success by means of a spring call count of Gambel quail, 806
Snyder, Walter A., *see* Anderson, Allen E., 352
Songbirds: as affected by Phosphamidon applied to a Montana forest, 580
Soots, Robert F., Jr., *see* Barkalow, F. S., Jr., 679
South Dakota: duck use of dugouts, 200
ring-necked pheasants, lens technique for aging, 212

Special article: Joselyn, G. Blair. Wildlife management on military installations—A critique of Army policy, 215
Spruce budworm: treated with Phosphamidon in Montana, adverse effects on birds, 580
Squirrels, gray: improved nest box, North Carolina, 679
Stallcup, William B. Obituary of Andrew Bateman Couch, Jr., 910
Starlings: control and eradication by use of organophosphorus compounds, Tasmania, 591
Stebler, A. M., (review of) Farley Mowat. *Never Cry Wolf*, 906
Stickel, Lucille F., *see* Stickel, William H., 132, 147, 161
Stickel, William H., Wendell E. Dodge, William G. Sheldon, James B. DeWitt, and Lucille F. Stickel. Body condition and response to pesticides in woodcock, 147
Stickel, William H., Don W. Hayne, and Lucille F. Stickel. Effects of heptachlor-contaminated earthworms on woodcocks, 132
Stickel, William H., William G. Sheldon, and Lucille F. Stickel. Care of captive woodcocks, 161
Stickel, William H., *see* Locke, Louis N., 156
See also Martin, Fant W., 121
Storm, G. L. Movements and activities of foxes as determined by radio-tracking, 1
Storm, G. L., and K. P. Dauphin. A wire ferret for use in studies of foxes and skunks, 625
Stracey, P. D. *Elephant Gold* (reviewed), 650
Strontium-90: accumulation in deer mandibles as related to sex and age, 39
comparing levels between antler and mandible, white-tailed deer, 33
Succinylcholine chloride: effects on wild boars, Poland, 626
immobilization of Roosevelt elk, southwestern Oregon, 339
immobilizing mountain lions, Montana, 880
immobilizing grey seals, Scotland, 316
Survival: food reserves of mallard ducklings, England, 523
Swans, whistling: lead poisoning as a mortality factor, Wisconsin, 95
Switzenberg, D. F., *see* Van Etten, Robert C., 59

Tagging: snare to collar snowshoe hares for identification, 877
Talbot, Lee M., and J. S. G. McCulloch. Weight estimations for East African mammals from body measurements, 84
Tasmania: vertebrate pest control, organophosphorus compounds, 591
Tasmanian native hen: control and eradication by use of organophosphorus compounds, Tasmania, 591
Teals, blue-winged: nesting and production studies, east-central Wisconsin farmlands, 515
nesting success as related to land use, Iowa, 89
Techniques: analyzing stomach contents, mule deer, New Mexico, 352
anesthetizing cottontails, 196
banding equipment for Canada geese, recent modifications, 640
cage to facilitate laboratory measurements of small intractable animals, 895
cannon-net sampling of Canada geese, southeastern Colorado, 253
capturing Columbids with stupefying baits, England, 647
care of blue grouse in captivity, 404
care of captive woodcocks, 161
collar for radio transmitters, 898
color-banding birds, 401
comparing strontium-90 levels in antlers and mandibles of white-tailed deer, Maryland, 33
comparisons of kidney and marrow fat as indicators of white-tailed deer condition, Canada, 397
control of nuisance and depredatory birds, chemically treated bait, 830
controlled deer hunting, square-mile enclosure, northern Michigan, 59
controlling sago pondweed growth by regulating salt concentrations, Utah, 838
correlation of fertilization rate with ovulation rate, white-tailed deer, Iowa, 487
deer fence construction and costs, Texas, 885
determining age and nesting activity of black brant, Alaska, 643
determining age in ring-necked pheasants by lens weight, South Dakota, 212
determining defecation rate for elk, Arizona, 406
determining fruit utilization by white-tailed deer, pellet group method, east Texas, 370
determining possibility of plankton dispersal via intestinal tract of birds, 529
determining ranging habits of mule deer herd, south-central Oregon, 345
determining sex of black-tailed deer by hoof characteristics, western Oregon and California, 210
development of a live snare and a tagging snare for hares and rabbits, 877
device for weighing large animals, 208
digestion rate determination of limestone force-fed to pheasants, 820
duck nesting studies, east-central Wisconsin farmlands, 515
estimating deer populations from automatically collected data, 381
estimating ground supplies of seed available to bobwhites, Georgia, 117
estimating hunting pressure on deer by American Indians, 366
estimating liveweight from body measurements, African mammals, 84

estimating time of death in white-tailed deer, Maine, 471
evaluating Petersen estimation procedures, Illinois, 598
examination of rumen organisms as related to range forage, white-tailed deer, Texas, 493
experiments with pesticides on woodcocks, response as related to body condition, 147
field-aging Canada geese by plumage, 874
FORTRAN program for population studies, 892
immobilization of grey seals, Scotland, 316
immobilization of mountain lions, Montana, 880
immobilization of Roosevelt elk, southwestern Oregon, 339
immobilization of white-tailed deer, nicotine and Cap-Chur gun, New York, 889
immobilization of wild boars, Poland, 626
improved methods for trapping and marking ruffed grouse, Minnesota, 109
improved nest box for gray squirrels, North Carolina, 679
indicators of sex, age, and breeding phenology, blue grouse, 103
intercommunication system for aerial surveys, 896
investigation of use of salt in management of elk, Idaho, 319
livetrapping and marking of opossums to study populations and movements, Illinois, 287
measuring food intake and assimilation by bobcats, laboratory conditions, 442
measuring forage production following forestry practices, Missouri, 734
measuring reproductive success in woodcocks, from wing collections, 121
measuring seasonal movements of elk, Idaho, 333
measuring waterfowl use of habitat by automatic camera device, 636
mechanical recorder for measuring deer activity, Michigan, 632
modification of Schnabel Estimator, known removal of animals from population, 392
pocket gopher control, Utah, 413
portable observation tower, 206
predicting hunter success of Gambel quail by spring call count, Arizona, 806
predicting liveweight from dissected leg weight, African mammals, 504
producing deer browse by intensive cleaning, southern Appalachians, 729
radio-tracking red foxes, Illinois, 1
relating size of rodent populations and abundance of minerals to chewed antlers shed by deer, Texas, 376
relationship of sex and age to strontium-90 accumulation in deer mandibles, 39
rodent populations controls, New Mexico, 425
sling support for weighing large animals, 890
sources of error in pellet-group counts for censusing deer, Michigan, 723
starch gel electrophoresis applied to blood samples from white-tailed deer, 717
study of age and growth of channel catfish by use of pectoral spine, Lake Erie, 280
study of internal food reserves of hatching mallard ducklings, England, 523
study of moose reproduction based on ovary examination, Ontario, 740
study of reproduction and productivity in snowshoe hares, Newfoundland, 303
survey of fruit-producing trees and shrubs, their importance to wildlife, Missouri, 497
testing immobilizing drugs on fur seals, 688
toxicological studies of effects of heptachlor-contaminated earthworms fed to woodcocks, Louisiana, 132
tranquilizer to reduce trap loss and injury of carnivores, 438
trapping, restraining, and marking Arctic ground squirrels, Alaska, 671
use of portable resuscitator on large game animals, 511
utilizing production and survival data to estimate fall adult sex ratios, bird populations, 185
vertebrate pest control, organophosphorus compounds, Tasmania, 591
wire ferret for use in studies of foxes and skunks, 625
Teeter, James W. Effects of sodium chloride on the sago pondweed, 838
Tester, John R., (review of) Bentley Glass (Editor). *Survey of Biological Progress, Volume IV*, 227
See also Mech, L. David, 898
Texas: collection of helminths of ducks, Galveston County, 772
deer fence construction and costs, 885
estimating deer populations from automatically collected data, 381
fruit utilization by white-tailed deer, east Texas, 370
male reproductive cycle, white-tailed deer, central Texas, 53
rumen organisms in white-tailed deer, south Texas, 493
scaled quail movements, western Texas, 801
white-tailed deer, characteristics of shed antlers, south Texas, 376
white-tailed deer die-off, Central Mineral Region, 706
white-tailed deer movements, Welder Wildlife Refuge, 44
Thoits, Charles F., III, *see* Buck, D. Homer, 598
Thomas, Jack Ward, *see* Marburger, Rodney G., 706
See also Robinson, R. M., 53

Trapping: Arctic ground squirrels, northwestern Alaska, 671
live snare and tagging snare for hares and rabbits, 877
ruffed grouse, improved methods, Minnesota, 109
Trainer, Daniel O., and Richard A. Hunt. Lead poisoning of waterfowl in Wisconsin, 95
Trauger, David L., and Arnold O. Haugen. Corpora lutea variations of white-tailed deer, 487
See also Burgess, Harold H., 89
Trautman, Carl G., *see* Dahlgren, Robert B., 212
Trophic relations: sculpin, laboratory stream conditions, Oregon, 846
Trout, steelhead: net economic value of sport fishery, Oregon, 266
Topi: estimating liveweight from body measurements, East Africa, 84
Twedt, Curtis M., *see* Dahlgren, Robert B., 212

Udall, Stewart L. *The Quiet Crisis* (reviewed), 226
Uhlig, Hans G., *see* Shearer, Leroy A., 200
Ullrey, Duane E., *see* Youatt, William G., 79
Utah: effects of salt on sago pondweed, 838
pocket gopher control, Wasatch Mountains, 413

Van Etten, Robert C., and Carl L. Bennett, Jr. Some sources of error in using pellet-group counts for censusing deer, 723
Van Etten, Robert C., D. F. Switzenberg, and Lee Eberhardt. Controlled deer hunting in a square-mile enclosure, 59
Vaught, Richard W., and George C. Arthur. Migration routes and mortality rates of Canada geese banded in the Hudson Bay lowlands, 244
Verme, Louis J. Reproduction studies on penned white-tailed deer, 74
See also Youatt, William G., 79

Wales, Joseph H. Obituary of Paul R. Needham, 408
Wallmo, O. C., *see* Neff, D. J., 406
Warthog: predicting liveweight from dissected leg weight, East Africa, 504
Washington: blue grouse, indicators of sex, age, and breeding phenology, north-central Washington, 103
Warner, Dwain W., *see* Mech, L. David, 898
Warren, Charles E., *see* Davis, Gerald E., 846
Warvel, Harold E. Obituary of Albert E. Hyder, 911
Waterbuck: predicting liveweight from dissected leg weight, East Africa, 504
Waterfowl: development and maturation of primary feathers in redhead ducklings, Manitoba, 533
effect of oil on reproduction, 872
internal food reserves, mallard ducklings, England, 523
intestinal helminths in ducks, 772
lead poisoning as mortality factor, Wisconsin, 95
measuring use of habitat by automatic camera device, 636
nesting and production on Wisconsin farmlands, 515
rate of food passage in mallards, possibility of plankton dispersal, 529
usage of a water area and changes in vegetation, Montana, 782
use of stock-water dugouts, South Dakota and Minnesota, 200
Weight, determination of: cage to facilitate laboratory measurements of small, intractable animals, 895
from body measurements, East African wild mammals, 84
portable tripod and assembly for field weighing large animals, 208
predicting liveweight from dissected leg weight, African mammals, 504
with sling support for large mammals, 890
Westwood, N. J., *see* Murton, R. K., 647
Wight, Howard M., Robert G. Heath, and Aelred D. Geis. A method for estimating fall adult sex ratios from production and survival data, 185
Wildebeest: estimating liveweight from body measurements, East Africa, 84
predicting liveweight from dissected leg weight, East Africa, 504
Wildlife Society, The:
Aldo Leopold award for 1965, 663
minutes of annual business meeting, March 8, 1965, 661
minutes of council meeting, March 7–8, 1965, 656
minutes of council meeting, August 24, 1964, 233
minutes of council meeting, August 24–25, 1965, 912
minutes of special council meeting, March 8–9, 1965, 662
report of the executive secretary for 1964, 652
Williams, Thomas R., *see* Dalke, Paul D., 319, 333
Wisconsin: duck nesting and production on east-central farmlands, 515
effects of mammals on prairie chickens on booming grounds, 536
lead poisoning in waterfowl, 95
movements of transplanted beavers, 685
Wood, Jack S. Some associations of behavior to reproductive development in Canada geese, 237
Wood, John E. Response of rodent populations to controls, 425

Woodcocks: body condition and response to pesticides, 147
care in captivity, 161
diseases and parasites, 156
effects of heptachlor-contaminated earthworms, Louisiana, 132
effects of pesticides, New Brunswick, 172
results of wing collections, 1959 to 1962, 121
Wright, Bruce S. Some effects of heptachlor and DDT on New Brunswick woodcocks, 172

Yocum, Charles F., and Stanley W. Harris. Plumage descriptions and age data for Canada goose goslings, 874

Youatt, William G., Louis J. Verme, and Duane E. Ullrey. Composition of milk and blood in nursing white-tailed does and blood composition of their fawns, 79

Zalunardo, Raymond A. The seasonal distribution of a migratory mule deer herd, 345
Zebra, Burchell's: estimating liveweight from body measurements, East Africa, 84
Zurowski, W., and M. Sakowicz. Effects of succinylcholine chloride on wild boars, 626
Zwickel, Fred C., and Art N. Lance. Renesting in blue grouse, 402